

LED 2086 LED 2092
LED 3086 LED 3092

833.72.450
833.72.451

833.72.474
833.72.475
833.72.476
833.72.477

833.75.174
833.75.175
833.75.176
833.75.177


12 V System 24 V System	K	W	 mm	T _A	
833.72.474	2700 K	3.4 W	Ø 61.2 x 15.6	-20 °C – +45 °C -4 °F – +113 °F	Loox 12 V
833.72.475	3000 K				
833.72.476	4000 K				
833.72.477	5000 K				
833.72.450	2700-5000 K				
833.75.174	2700 K				Loox 24 V
833.75.175	3000 K				
833.75.176	4000 K				
833.75.177	5000 K				
833.72.451	2700-5000 K				

















x	12V
1000	833.95.789
2000	833.95.788





x	24V
2000	833.95.791






833.72.126	833.72.380
833.72.381	833.72.382
833.72.168	833.72.170
833.72.171	



833.72.127	833.72.383
833.72.384	833.72.385
833.72.172	833.72.174
833.72.175	



833.72.124	833.72.193
833.72.192	833.72.194
833.72.160	833.72.162
833.72.163	



833.72.125	833.72.195
833.72.196	833.72.197
833.72.164	833.72.166
833.72.167	


732.28.329

HDE 04.02.2021


i



100 - 240 V~







1





58 mm




8 mm








i







732.28.329

2/4

HDE 04.02.2021



732.28.329

HDE 04.02.2021

732.28.329

HDE 04.02.2021